The listing of claims will replace all prior versions, and listings, of claims in the

application:

1. (Currently Amended) An apparatus for collection and lateral flow

chromatography of an oral fluid, the apparatus comprising:

a housing having a cavity;

a <u>non-absorbing</u> capillary matrix extending from within the housing and protruding

out from the housing for receiving oral fluid;

a lateral flow chromatography strip within the housing, wherein the lateral flow

chromatography strip contains at least one reagent that is used to detect or quantify at least

one analyte in the oral fluid and is in planar flow communication with the capillary matrix;

and wherein the capillary matrix is composed of a material different from the material

comprising the lateral flow chromatography strip; and

a blocking strip within the housing coupled between and in planar flow

communication with the capillary matrix and the lateral flow ehromatographic

chromatography strip, wherein the blocking strip is impregnated with at least one blocking

agent which reduces non-specific binding on the lateral flow chromatography strip.

2-52. (Canceled)

53. (Previously Presented) The apparatus of claim 1, wherein the blocking strip

further comprises a detergent, a chelating agent, or a buffer, or mixtures thereof.

54. (Previously Presented) The apparatus of claim 1, wherein at least one

blocking agent is selected from bovine serum albumin, deoxycholate, and n-lauroyl sarcosine.

55. (Previously Presented) The apparatus of claim 1, further comprising a

conjugate strip within the housing coupled between the blocking strip and the lateral flow

chromatography strip, wherein the conjugate strip contains lateral flow chromatography

reagents.

56. (Canceled)

10686066.2

Attorney Docket No.: 030793-036100 Application Serial No.: 10/076,596

Page 3 of 21

- analyte to be detected or quantified by at least one reagent on the lateral chromatography strip is selected from the group consisting of antibodies to HIV, antibodies to HTLV, antibodies to Helicobacter pylori, antibodies to hepatitis, antibodies to measles, antibodies to mumps, antibodies to rubella, cotinine, cocaine, benzoylecgonine, benzodizazpine, tetrahydrocannabinol, nicotine, ethanol theophylline, phenytoin, acetaminophen, lithium, diazepam, nortryptyline, secobarbital, phenobarbitol, theophylline, testosterone, estradiol, 17-hydroxyprogesterone, progesterone, thyroxine, thyroid stimulating hormone, follicle stimulating hormone, luteinizing hormone, transforming growth factor alpha, epidermal growth factor, insulin-like growth factors I and II, growth hormone release inhibiting factor, IGA, sex hormone binding globulin, glucose, caffeine, cholesterol, corticosteroid binding globulin, PSA, DHEA binding glycoprotein, and combinations thereof.
- 58. (Previously Presented) The apparatus of claim 57, wherein at least one analyte is an antibody to HIV.
- 59. (Previously Presented) The apparatus of claim 57, wherein at least one analyte is an antibody to hepatitis.
- 60. (Previously Presented) The apparatus of claim 1, wherein the lateral flow chromatography strip contains lateral flow chromatography reagents.
- 61. (Previously Presented) The apparatus of claim 1, wherein the capillary matrix is paddle-shaped.
- 62. (Previously Presented) The apparatus of claim 1, wherein the capillary matrix has an average pore size ranging from about 40 μm to about 250 μm.
- 63. (Previously Presented) The apparatus of claim 1, wherein the lateral flow chromatography strip is at least partially disposed into the cavity of the housing.
- 64. (Previously Presented) The apparatus of claim 1, wherein the housing includes at least one inspection site providing visual inspection of reagents at selected sites on the lateral flow chromatography strip.
 - 65. (Currently Amended) The apparatus of claim 1, further comprising:

a conjugate strip within the housing coupled between the blocking strip and the lateral flow chromatography strip and contains lateral flow chromatography reagents;

wherein the lateral flow chromatography strip extends into the cavity along the housing to an inspection site on the housing; and

at least one inspection site from an exterior of the housing to the lateral ehromatographic chromatography strip to enable visual inspection of reagents at selected sites on the lateral ehromatographic chromatography strip.

- 66. (Previously Presented) The apparatus of claim 65, wherein the capillary matrix protrudes out from the housing and is in flow communication with the lateral flow chromatography strip.
- 67. (Currently Amended) An apparatus for collection and lateral flow chromatography of an oral fluid, the apparatus comprising:

a housing having a cavity;

a collection pad of a <u>non-absorbing</u> capillary matrix extending from within the housing and protruding out from the housing for receiving oral fluid;

a blocking pad within the housing and coupled between <u>and in planar flow</u> <u>communication with</u> the capillary matrix and a lateral flow chromatographic strip, wherein the blocking strip is impregnated with at least one blocking agent <u>which reduces non-specific binding on the lateral flow chromatography strip</u>;

a conjugate pad within the housing and coupled between the blocking pad and the lateral flow chromatography strip, wherein the conjugate pad contains lateral flow chromatography reagents;

the lateral flow chromatography strip within the housing, wherein the lateral flow chromatography strip extends into the cavity along the housing to an inspection site on the housing; and

at least one inspection site from an exterior of the housing to the lateral flow ehromatographic chromatography strip to enable visual inspection of reagents at selected sites on the lateral chromatographic chromatography strip; and

Attorney Docket No.: 030793-036100 Application Serial No.: 10/076,596

Page 5 of 21

wherein the lateral flow chromatography strip contains at least one reagent that is used to detect or quantify at least one analyte in the oral fluid and is in <u>planar</u> flow communication with the capillary matrix; and wherein the capillary matrix is composed of a material different from the material comprising the lateral flow chromatography strip.

68. (Previously Presented) A kit for the detection of an analyte in an oral fluid comprising:

the apparatus of claim 1; and

a buffer, reagent, or detection reagent for collection and lateral flow chromatography of an oral fluid.

69. (Previously Presented) A kit for the detection of an analyte in an oral fluid comprising:

the apparatus of claim 67; and

a buffer, reagent, or detection reagent for collection and lateral flow chromatography of an oral fluid.

- 70. (Previously Presented) The apparatus of claim 53, wherein the chelating agent is EDTA.
- 71. (Previously Presented) The apparatus of claim 1, wherein at least one blocking agent is selected from bovine serum albumin, deoxycholate, and n-lauroyl sarcosine and wherein the chelating agent is EDTA.